Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	print\$3 near4 (private near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 15:31
L2	4481	print\$3 near4 (encrypt\$4 encipher\$8 cipher\$8 encod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:43
L3	320	I2 and ((private secret) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:43
L4	238	I3 and (public\$2 near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:43
L5	227	l4 and (decrypt\$3 decod\$3 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:39
L6	6	I5 and (file\$1 near server\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:56
L7	3010	print\$3 near5 (decrypt\$4 decipher\$8 decod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 15:33
L8	226	I7 and ((private secret) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:55
L9	194	I8 and (public\$2 near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:55
L10	10	l9 and (file\$1 near server\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:43
L11	10	I10 AND (encrypt\$4 encipher\$8 cipher\$8 encod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:57
L12	3056	print\$4 near5 (decrypt\$4 decipher\$8 decod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:01
L13	226	I12 and ((private secret) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:55
L14	205	l13 and (des asymmetric\$3 (public\$2 near key\$1))	USPAT; IBM_TDB	OR	OFF	2005/06/17 15:32
L15	194	I13 and (public\$2 near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 14:56
L16	21	l15 and (spool\$3 (file\$1 near server\$1))	USPAT; IBM_TDB	OR	OFF	2005/06/17 15:34
L17	21	I16 AND (encrypt\$4 encipher\$8 cipher\$8 encod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:06
L18	400	print\$3 near4 (receiv\$3 accept\$4 acquir\$3 transmit\$4 transmission\$1) near4 key\$1	USPAT; IBM_TDB	OR	OFF	2005/06/17 15:32
L19	70	I18 and (des asymmetric\$3 (public\$2 near key\$1))	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:03
L20	7768	key\$1 near3 (decrypt\$4 decipher\$8 decod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:41
L21	88	l18 and l20	USPAT; IBM TDB	OR	OFF	2005/06/17 15:33

L22	7	I21 and (spool\$3 (file\$1 near server\$1))	USPAT; IBM_TDB	OR	OFF	2005/06/17 15:57
L23	42	(encrypt\$4 encipher\$8 cipher\$8) near5 (document\$1 file\$1 data packet\$1) near7 (spool\$3 (file\$1 near server\$1))	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:00
L24	874	(encrypt\$4 encipher\$8 cipher\$8) near5 (document\$1 file\$1 data packet\$1) near7 (spool\$3 server\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:30
L25	9150	key\$1 near5 (decrypt\$4 decipher\$8 decod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:01
L26	532	124 and 125	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:03
L27	54097	print\$4 near4 (notif\$8 messag\$3 signal\$4 inform\$3 alert\$3 warn\$3 indicat\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:29
L28	71	126 and 127	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:03
L29	66	I28 and (des asymmetric\$3 (public\$2 near2 key\$1) (private\$2 near2 key\$1) (secret\$2 near2 key\$1) symmetric\$3)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:30
L30	63	129 not 122	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:14
L31	63	130 not 117	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:27
L32	63	l31 not l6	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:06
L33	63	132 not 111	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:06
L34	85764	(print\$4 near4 (document\$1 file\$1 data information\$1 packet\$1)) printout\$1	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:09
L35	59	133 and 134	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:09
L36	6501	((713/170) or (713/171) or (713/200) or (713/201) or (380/51) or (380/28) or (380/29) or (380/30) or (380/239) or (380/243) or (380/285) or (709/225) or (709/229)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:29
L37	922	134 and 136	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:29

L38	59914	(fax facsimile\$1 print\$4) near4 (notif\$8 messag\$3 signal\$4 inform\$3 alert\$3 warn\$3 indicat\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:39
L39	316	137 and 138	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:30
L40	1948	(encrypt\$4 encipher\$8 cipher\$8) near7 (spool\$3 server\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:42
L41	33	139 and 140	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:30
L42	27	l41 and (des asymmetric\$3 (public\$2 near2 key\$1) (private\$2 near2 key\$1) (secret\$2 near2 key\$1) symmetric\$3)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:40
L43	25	l42 and l25	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:34
L44	24	I43 and (smartcard\$1 read\$3)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:42
L45	13	l44 and driver\$1	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:43
L46	54679	(fax facsimile\$1 print\$4) near4 (notif\$8 messaging signal\$4 inform\$3 alert\$3 warn\$3 indicat\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:40
L47	1853	((D18/50) or (358/1.1) or (358/3. 23) or (358/3.28) or (358/539) or (358/405) or (358/473)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:40
L48	736	146 and 147	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:40
L49	50	l48 and (des asymmetric\$3 (public\$2 near2 key\$1) (private\$2 near2 key\$1) (secret\$2 near2 key\$1) symmetric\$3)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:40
L50	14	(encrypt\$4 encipher\$8 cipher\$8) and I49	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:41
L51	13	I50 and (decrypt\$4 decipher\$8 decod\$4)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:41
L52	4	I51 and (spool\$3 server\$1)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:42
L53	4	I52 and (smartcard\$1 (smart near card\$1) (card near reader\$1) read\$3)	USPAT; IBM_TDB	OR	OFF	2005/06/17 16:43